



April 29, 2016

ADDENDUM NO. 1 TO ALL BIDDERS:

Invitation to Bid: ITB# 16-10-05

Description: Brick Alley Repair

Dated: April 13, 2016

For Delivery to: Purchasing Division, City of Roanoke, Virginia

Bids Due: May 12, 2016

1. **REFERENCE: SECTION 3. SERVICES AND/OR ITEMS REQUIRED, AND ATTACHMENT B, SAMPLE CONTRACT, EXHIBIT 2- ITEM 3. EXECUTION: CONSTRUCTION, ITEM C, REPLACE:**

The following specification is hereby replaced as indicated below:

- c. Base material shall be 21 A compacted with a reversible plate compactor rated with a minimum of 5000 lbs. centrifugal force. Base material depth shall be 4" in depth compacted to ninety-five (95) percent standard proctor density.

Replacement specification:

- c. **Base material shall be 21 A compacted with a reversible plate compactor rated with a minimum of 5000 lbs. centrifugal force. Base material depth shall be 8" in depth compacted in two (2) lifts of 4" each.**

2. **REFERENCE: TIME OF COMPLETION, Replace, One Hundred and Twenty (120) Consecutive Calendar Days:**

Any references to the required time of completion, and/or consecutive calendar days for completion, for the Work described in ITB#16-10-05, are deemed to read as: **All work shall be completed by December 1, 2016.**

Note: A signed acknowledgment of this addendum should be received at the location indicated on the RFP either prior to the due date and hour or attached to your response. Signature on this addendum does not substitute for your signature on the original solicitation document. The original solicitation document must be signed.

Very truly yours,

Monica Cole
Senior Buyer
Phone: 540-853-2871

Name of Firm

Signature/Title

Date